

Critical Alerts Values for Communication to Clinicians

Critical alert values are laboratory results that indicate a possible clinically significant situation for the patient.

Alert the clinician to the critical alert value. Record the details of the communication to the clinician as detailed below dependant on the type of critical alert.

Critical Alerts Associated with Test Results

Critical alerts are documented on either the hardcopy Telephone Log PATH/MF/004 or the LIS Telephone Log associated with the relevant SID number.

1. **FMH** **Rh D negative woman**

If an FMH of **4ml or greater** is detected the clinician should be notified and alerted to the possible need for additional anti-D immunoglobulin prior to discharge and /or to the requirement for a follow-up maternal sample for KBT to check for clearance of fetal cells.

2. **FMH** **RhD positive woman (Trauma)**

If greater than 2ml fetal cells is detected the clinician should be notified.

3. **DAT (Direct Antiglobulin Test)**

A **Positive DAT** result on a newborn sample should be phoned to the relevant ward/ clinician. This does not include a DAT positive on the cord sample of the newborn of a woman who has recently received anti-D immunoglobulin. However, if a DAT positive result is suspect of being due to ABO incompatibility (Mother Group O, Baby group A or B) the DAT should be phoned, even when Anti-D immunoglobulin has been administered.

Critical Alerts associated with Blood Stocks and Availability

If there is difficulty in providing crossmatched compatible blood for a patient due to the presence of red cell antibodies or to a reduced supply of blood/components/ blood products, the clinician will also be contacted. Refer to BT/LI/072, *Turnaround Times for Blood Transfusion Tests and Blood Products*.

These Critical Alerts are documented on the Critical Alert Report Form [BT/LF/135].

Miscellaneous Critical Alerts

Rejected Samples or Samples requiring Amendment prior to Processing

The rejection of a sample must be communicated to the requesting doctor or a member of staff who is responsible for his/her care. The communication of these Critical Alerts are documented on HV/MF/033 and/or the hardcopy or LIS Telephone Log.

Reviewed by: _____
SMS/CMS

Date: _____

Authorised by: _____
Consultant Haematologist

Date: _____